

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/633,188	08/01/2003	Shandor G. Daroczi	10031.000100	3172
	7590 05/30/200 BENEDICTO, LLP	EXAMINER		
P.O. BOX 641330			FICK, ANTHONY D	
SAN JOSE, CA 95164			ART UNIT	PAPER NUMBER
			1753	
	•		MAIL DATE	DELIVERY MODE
			05/30/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

			<del></del>					
Office Action Summary		Application No	٥.	Applicant(s)				
		10/633,188		DAROCZI ET AL.				
		Examiner		Art Unit				
		Anthony Fick		1753				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply								
WHIC - Exte after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DATE OF THE MAIL	ATE OF THIS C 36(a). In no event, ho will apply and will expire, cause the application	COMMUNICATION wever, may a reply be time re SIX (6) MONTHS from to to become ABANDONED	l. ely filed the mailing date of this communication. O (35 U.S.C. § 133).				
Status								
1)⊠	Responsive to communication(s) filed on 05 M	larch 2007.						
2a)⊠	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Dispositi	ion of Claims							
4)⊠	☑ Claim(s) <u>1-22</u> is/are pending in the application.							
	4a) Of the above claim(s) is/are withdrawn from consideration.							
5)	5) Claim(s) is/are allowed.							
·	Claim(s) <u>1-22</u> is/are rejected.							
·	Claim(s) is/are objected to.							
8)	Claim(s) are subject to restriction and/o	r election requir	ement.					
Applicati	ion Papers							
9)[	The specification is objected to by the Examine	er.						
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.								
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).								
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).								
11)	The oath or declaration is objected to by the Ex	caminer. Note th	ie attached Office	Action or form PTO-152.				
Priority (	under 35 U.S.C. § 119							
· ·	Acknowledgment is made of a claim for foreign All b) Some * c) None of:  1. Certified copies of the priority document			-(d) or (f).				
<ol> <li>Certified copies of the priority documents have been received.</li> <li>Certified copies of the priority documents have been received in Application No</li> </ol>								
	3. Copies of the certified copies of the prior		• •	<del></del>				
	application from the International Bureau	-						
* 5	See the attached detailed Office action for a list	of the certified	copies not received	d.				
Attachmen	ıt(s)							
	ce of References Cited (PTO-892)	4) [	Interview Summary ( Paper No(s)/Mail Dai					
3) Infon	ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) er No(s)/Mail Date	5) [ 6) [	Notice of Informal Pa					

Application/Control Number: 10/633,188 Page 2

Art Unit: 1753

### **DETAILED ACTION**

#### Remarks

Applicant's amendment to the specification has overcome the previous objection.
 The objection is withdrawn.

# Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1 through 3, 7, 10, 11, 12, 17, 18, 20 and 22 are rejected under 35 U.S.C. 102(b) as being anticipated by Ferguson (U.S. 5,185,042).

Ferguson discloses a generic solar cell array as shown in figure 1.

Regarding claim 1, the solar cell array comprises two solar cells, dotted outline in figure 1, having a backside comprising areas of different electrical polarity (column 3, paragraph 5), and a plurality of contact points on the areas of different electrical polarity, 18 in figure 1. Figure 1 further shows the contact points being electrically coupled to contact points on the backside of a second solar cell by separate and discrete pieces of interconnect leads, electrical traces 20.

Regarding claim 2, figure 1 also shows the areas having at least three contact points (10 in figure 1).

Application/Control Number: 10/633,188

**Art Unit: 1753** 

Regarding claim 3, figure 1 shows the pieces of interconnect leads having curves, and Ferguson discloses stress relief loops for the electrical conductive leads (column 4, paragraph 1).

Regarding claim 7, Ferguson discloses attaching the leads by soldering to the contact points (column 3, paragraph 4).

Regarding claim 10, Ferguson discloses the array is part of a solar panel or module (column 3, paragraph 2).

Regarding claim 11, the solar cell array comprises two solar cells, dotted outline in figure 1, having a backside plurality of contact points, 18 in figure 1. Figure 1 further shows the contact points being electrically coupled to contact points on the backside of a second solar cell by separate and discrete pieces of interconnect leads, electrical traces 20.

Regarding claim 12, figure 1 shows the pieces of interconnect leads having curves, and Ferguson discloses stress relief loops for the electrical conductive leads (column 4, paragraph 1).

Regarding claim 17, Ferguson also discloses a method of making the solar cell array as described for claims 1 and 11.

Regarding claim 18, figure 1 shows the pieces of interconnect leads having curves, and Ferguson discloses stress relief loops for the electrical conductive leads (column 4, paragraph 1).

Regarding claim 20, the solar cell array comprises two adjacent solar cells, dotted outline in figure 1, having a backside plurality of contact points, 18 in figure 1.

Figure 1 further shows the contact points being electrically coupled to contact points on the backside of a second solar cell by separate and discrete pieces of interconnect leads, electrical traces 20.

Regarding claim 22, figure 1 shows the pieces of interconnect leads having curves, and Ferguson discloses stress relief loops for the electrical conductive leads (column 4, paragraph 1).

### Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 1, 2, 6 through 11, 16, 17, 20 and 21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimada (U.S.P.G.Pub 2002/0059952) in view of Gee (U.S. 5,468,652).

Shimada discloses a solar cell array as shown in figures 4 and 5.

Regarding claim 1, figure 4 shows a first solar cell connected to a second solar cell by separate and discrete pieces of interconnect leads, 3. Figures 5 and 6 show that each solar cell has a area of a first electrical polarity and an area of a second electrical polarity with a plurality of contact points on each area, the interconnect leads coupling the contact points of the first solar cell to the second solar cell.

Regarding claim 2, figure 5 shows each area has at least three contact points.

Application/Control Number: 10/633,188

Art Unit: 1753

Regarding claim 6, figure 4 shows the pieces of interconnect leads comprise three leads.

Regarding claim 7, Shimada discloses connection of the leads by soldering to the contact points (paragraph 0060).

Regarding claim 8, figure 4 shows a busbar electrically coupled to a second area of the bottom cell.

Regarding claim 9, figure 4 shows a third solar cell having an area that is electrically coupled to the second area.

Regarding claim 10, Shimada discloses the array is part of a solar cell module (title).

Regarding claims 11, 17 and 20, figure 4 shows a first solar cell connected to a second solar cell by separate and discrete pieces of interconnect leads, 3. Figures 5 and 6 show that each solar cell has a plurality of contact points, the interconnect leads coupling the contact points of the first solar cell to the second solar cell.

Regarding claim 16, figure 4 shows the pieces of interconnect leads comprise three leads.

Regarding claim 21, figure 4 shows a busbar electrically coupled to a second area of the bottom cell.

The difference between Shimada and the claims is the requirement for the solar cells to be back contacted solar cells.

Art Unit: 1753

Gee teaches back-contacted solar cells. The cells as shown in figure 1, have metal grids of n-type and p-type contacts formed on the backside of the cells (column 3, paragraph 2).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the back-contacted solar cells of Gee within the module and method of forming a module of Shimada because back-contact cells have no grid obscuration losses and module assembly is simplified (Gee column 1, paragraph 4). Because Gee and Shimada are both concerned with solar cells, one would have a reasonable expectation of success from the combination. Thus the combination meets the claims.

6. Claims 3, 5, 12, 15, 18 and 22 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimada in view of Gee as applied to claims 1, 2, 6 through 11, 16, 17, 20 and 21 above, and further in view of Ho et al. (U.S.P.G.Pub 2004/0040593).

The disclosure of Shimada in view of Gee is as stated above for claims 1, 2, 6 through 11, 16, 17, 20 and 21.

The difference between Shimada in view of Gee and the claims is the requirement of the interconnect leads to be curved or perforated.

Ho teaches a solar cell as shown in figure 13A. The solar cell has interconnect tabs to connect solar cells together as shown in figures 13A and 13B. The interconnect tabs include a curved section and a plurality of holes or perforations as seen in figure 13B.

Application/Control Number: 10/633,188

Art Unit: 1753

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize the interconnect tabs of Ho within the device and method of forming a device of Shimada in view of Gee because the tabs provide stress relief between the connected cells (Ho paragraph 0059). Because Ho and Shimada in view of Gee are concerned with solar cells, one would have a reasonable expectation of success from the combination. Thus the combination meets the claims.

7. Claims 4, 13, 14 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Shimada in view of Gee, further in view of Ho as applied to claims 3, 5, 12, 15, 18 and 22 above, and further in view of Dran et al. (U.S. 4,321,418).

The disclosure of Shimada in view of Gee, further in view of Ho is as stated above for claims 3, 5, 12, 15, 18 and 22.

The difference between Shimada in view of Gee, further in view of Ho and the claims is the requirement of a specific material for the conductive material.

Dran teaches photocell panels as shown in figure 3. Dran further teaches the cells are interconnected with strips of tinned copper or tin coated copper (column 3, paragraph 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize tin coated copper as in Dran as the conductive strip material within the device and method of Shimada in view of Gee, further in view of Ho because tin coated copper exhibits good electrical conductivity (Dran column 3, paragraph 4). Because Shimada in view of Gee, further in view of Ho and Dran are

Art Unit: 1753

concerned with solar cells, one would have a reasonable expectation of success from the combination. Thus the combination meets the claims.

8. Claims 4, 13, 14 and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ferguson as applied to claims 1 through 3, 7, 10, 11, 12, 17, 18, 20 and 22 above, and further in view of Dran et al. (U.S. 4,321,418).

The disclosure of Ferguson is as stated above for claims 1 through 3, 7, 10, 11, 12, 17, 18, 20 and 22.

The difference between Ferguson and the claims is the requirement of a specific material for the conductive material.

Dran teaches photocell panels as shown in figure 3. Dran further teaches the cells are interconnected with strips of tinned copper or tin coated copper (column 3, paragraph 4).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to utilize tin coated copper as in Dran as the conductive strip material within the device and method of Ferguson because tin coated copper exhibits good electrical conductivity (Dran column 3, paragraph 4). Because Ferguson and Dran are concerned with solar cells, one would have a reasonable expectation of success from the combination. Thus the combination meets the claims.

## Response to Arguments

9. Applicant's arguments filed March 5, 2007 have been fully considered but they are not persuasive. Regarding the reference to Ferguson, applicant argues that the reference does not teach or suggest at least one limitation of each rejected claim,

Page 9

Art Unit: 1753

namely the printed circuit substrate is the antithesis of separate pieces of interconnect leads. The examiner respectfully disagrees. Figure 1 of Ferguson shows a plurality of electrical traces 20, each connecting an area 18 to the interconnecting circuit. These traces are separate and discrete from each other the same way side streets that all intersect a main road are separate and discrete from each other. Each trace is separated from the other traces and electrically couples the contact point to a corresponding point on the second solar cell as required by the claim. The circuit substrate merely holds the traces and does not preclude the traces from being separate and discrete from each other as required by the claims. Applicant's claim language does not require pieces to be on different substrates to be separate and discrete pieces, and thus the rejections are maintained.

Regarding the combination of Shimada and Gee, applicant argues that Gee does not disclose enough information to show how the solar cell would be interconnected with other solar cells, the number of interconnectors per polarity on each side would be decreased by half to accommodate both polarities on the same side, Shimada does not disclose enough interconnectors per side to accommodate Gee's solar cell, and the position of the grooves of Gee would have to be different per cell to allow for an inline connection using the interconnectors of Gee which unnecessarily complicates the fabrication and installation of the cells. The examiner respectfully disagrees. Gee teaches the back surface contains two interdigitated electrode grids in contact with the different electrical polarities of the cell, and the grids are configured for easy series connection with neighboring cells (Gee abstract). The use of interdigitated grid

**Art Unit: 1753** 

electrodes is well known within the art and would produce an electrode structure similar to applicant's figure 2. Such a grid produces a current collector of one polarity on one side of the cell and a current collector of another polarity on the opposite side for easy series connection. The reference to Shimada discloses the use of interconnecting tabs for series connection between adjacent solar cells. It would have been obvious to one of ordinary skill in the art at the time the invention was made to connect the back of one cell of Gee to the back of an adjacent cell of Gee because that is the required connection for a series connection. Therefore using the solar cells of Gee within the structure and method of Shimada, one skilled in the art would simply run the tabs from the back of one cell to the back of the adjacent cell, thus eliminating the complications applicant argued are present with the combination. Thus the combination produces the same structure as claimed by applicant and the rejections are maintained.

Regarding the reference to Ho, applicant argues that Shimada's connectors are strips with a zigzag shape and bending the connector like in Ho would serve no purpose as the connector already has strain relief. The examiner respectfully disagrees. The tabs in Shimada have their shape due to the interconnection between the front of one cell to the back of the adjacent cell. When combined with the cells of Gee, the interconnectors would no longer need the additional curves, and thus can be designed to have whatever shape one skilled in the art chooses to utilize. The interconnectors of Ho have perforations in an area of the strip and will provide strain relief, and are connected to adjacent solar cells on the same side, the same configuration required in the combination of Shimada and Gee. The choice of a specific interconnector shape is

Application/Control Number: 10/633,188 Page 11

Art Unit: 1753

a design choice, and the rejections above give motivation for choosing a shape such as

Ho. Therefore the rejections are maintained.

### Conclusion

10. THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Anthony Fick whose telephone number is (571) 272-6393. The examiner can normally be reached on Monday - Friday 7 AM to 4 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen can be reached on (571) 272-1342. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/633,188 Page 12

Art Unit: 1753

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Anthony Fick ADI AU 1753

May 23, 2007

NAM NGUYEN

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700